


The CCG plan includes the interventions with the greatest evidence base, coloured yellow


# Improve HTN Control



# References for driver diagram

1. NICE. (2018). *Hypertension: Improving blood pressure management in primary care*. [online] Available at: <https://www.nice.org.uk/sharedlearning/hypertension-improving-blood-pressure-management-in-primary-care> [Accessed 27 Apr. 2018].
2. GOV.UK. (2018). *Managing hypertension in Dudley clinical commissioning group (CCG) - Case study*. [online] Available at: <https://www.gov.uk/government/case-studies/managing-hypertension-in-dudley-clinical-commissioning-group-ccg> [Accessed 27 Apr. 2018].
3. Right Care. (2018). [online] Available at: <https://www.england.nhs.uk/rightcare/wp-content/uploads/sites/40/2018/02/bradford-healthy-hearts-resource-pack.pdf> [Accessed 15 May 2018].
4. Abegaz, T., Shehab, A., Gebreyohannes, E., Bhagavathula, A. and Elnour, A. (2017). Nonadherence to antihypertensive drugs. *Medicine*, 96(4), p.e5641.
5. Agarwal, R., Bills, J., Hecht, T. and Light, R. (2010). Role of Home Blood Pressure Monitoring in Overcoming Therapeutic Inertia and Improving Hypertension Control: A Systematic Review and Meta-Analysis. *Hypertension*, 57(1), pp.29-38.
6. Akpolat, T., Arici, Mustafa, Sengul, S., Derici, U., Ulusoy, S., Erturk, Sehsuvar, Erdem, Yunus, n.d. Home sphygmomanometers can help in the control of blood pressure: a nationwide field survey. *Hypertension Research*. doi:10.1038/s41440-018-0030-8
7. Glynn, L., Murphy, A., Smith, S., Schroeder, K. and Fahey, T. (2010). Interventions used to improve control of blood pressure in patients with hypertension. *Cochrane Database of Systematic Reviews*.
8. Nieuwlaat, R., Wilczynski, N., Navarro, T., Hobson, N., Jeffery, R., Keepanasseril, A., Agoritsas, T., Mistry, N., Iorio, A., Jack, S., Sivaramalingam, B., Iserman, E., Mustafa, R., Jedraszewski, D., Cotoi, C. and Haynes, R. (2014). Interventions for enhancing medication adherence. *Cochrane Database of Systematic Reviews*.
9. Green 2008. Home blood pressure monitoring, web communication, pharmacist care
10. Kravetz, J. and Walsh, R. (2016). Team-Based Hypertension Management to Improve Blood Pressure Control. *Journal of Primary Care & Community Health*, 7(4), pp.272-275.
11. Lebeau, J.-P., Cadwallader, J.-S., Aubin-Auger, I., Mercier, A., Pasquet, T., Rusch, E., ... Vermeire, E. (2014). The concept and definition of therapeutic inertia in hypertension in primary care: a qualitative systematic review. *BMC Family Practice*, 15(1), 130. <https://doi.org/10.1186/1471-2296-15-130>
12. Marshall, I., Wolfe, C. and McKeivitt, C. (2012). Lay perspectives on hypertension and drug adherence: systematic review of qualitative research. *BMJ*, 345(jul09 1), pp.e3953-e3953.
13. Morrissey, E., Durand, H., Nieuwlaat, R., Navarro, T., Haynes, R., Walsh, J. and Molloy, G. (2017). Effectiveness and content analysis of interventions to enhance medication adherence and blood pressure control in hypertension: A systematic review and meta-analysis. *Psychology & Health*, 32(10), pp.1195-1232.
14. Noble, K., Brown, K., Medina, M., Alvarez, F., Young, J., Leadley, S., Kim, Y. and DiCarlo, L. (2016). Medication adherence and activity patterns underlying uncontrolled hypertension: Assessment and recommendations by practicing pharmacists using digital health care. *Journal of the American Pharmacists Association*, 56(3), pp.310-315.
15. Peacock, E. and Krousel-Wood, M. (2017). Adherence to Antihypertensive Therapy. *Medical Clinics of North America*, 101(1), pp.229-245.

# Improve HTN Detection



- Opportunistic case finding e.g. pharmacy, waiting room BP Eoi 6 do not translate into detection
- Active search to find those at risk 3, 5
- Pt education LoE on education improving detection
- increase uptake of NHS Health Checks not looked at evidence
- Active search to find those not diagnosed or coded incorrectly 1, 8, 3, 4, 9 those near threshold
- Availability of investigations e.g. HBPM, ABPM NICE, Canada, USA BUT LoE intervention to inc. machines
- Telehealth - encourage people with isolated high BP to submit LoE for detection of treatment
- Public campaign inc. launch, website, radio 11 when part of multiple interventions

Key:  
 LoE – lack of specific evidence  
 Eoi -Evidence of ineffectiveness  
 Best practice